











### Maschi in ferro/ottone/allum.

### MINUTERIE

<p>2,1x6 t. 6,5 ferro</p>  <p>60041000 g</p>	<p>2,45x5 t. 8 ferro</p>  <p>60042/5</p>	<p>2,45x7 t. 8 ferro</p>  <p>60042/7</p>	<p>2,45x10 t.8 ferro</p>  <p>60042/10</p>	<p>2,15x8 t. 6,5 ottone</p>  <p>62697000 g</p>
<p>3x5 t. 6 ottone</p>  <p>63051000 g</p>	<p>3x6,5 t. 6 ottone</p>  <p>63082000 g</p>	<p>2,2x7,5 t. 9 alluminio</p>  <p>63949750 g</p>	<p>2x7 t. 9 ottone</p>  <p>63292000 g</p>	<p>2,45x9 t. 9 ottone</p>  <p>63433009 g</p>
<p>3x7 t. 14 ottone</p>  <p>9796/M</p>	<p>2,1x3 t. 6x0,5 of.</p>  <p>63628003 g</p>	<p>2,1x5 t. 6x0,5 of.</p>  <p>63628005 g</p>	<p>1,95x5 t. 6x0,5 of. minorato</p>  <p>63628MI5 g</p>	<p>9x9 gambo 3x6,5 of.</p>  <p>63510065 g</p>
<p>2,45x6,5 T. 9 of.</p>  <p>62662000 g</p>	<p>2,40x6 T. 7x1,3 TC of.</p>  <p>64294000 g</p>	<p>2,45x6 T. 7x1,3 TC of.</p>  <p>10899/m</p>	<p>2,2x7,5 T.9,5 of</p>  <p>10793</p>	<p>2,45x10,5 T. 6 of.</p>  <p>64465000 G</p>
<p>3x4,3 gam.1,2x3,2 of.</p>  <p>64518000 g</p>	<p>4,5x3,3 gam. 1,5x3 of.</p>  <p>64646003</p>	<p>4,5x4,3 gam. 1,5x4 fe</p>  <p>64646004</p>	<p>4,5x5,3 gam. 1,5x5 fe</p>  <p>64646005</p>	<p>6,5x5 gambo 2,1x4 FE.</p>  <p>64539004 g</p>
<p>maschio f. 3,5 gambo 1,2x3 c/cono fe.</p>  <p>64895F03 g</p>	<p>4x3,4 gambo 2,1x3 of.</p>  <p>64576003 g</p>	<p>6,5x5 gambo 2,15x4 of.</p>  <p>64572004 g</p>	<p>9x4,5 gambo 2,05x2,8 of.</p>  <p>63294000</p>	<p>2,5x4 gambo 1,2x3,4 of</p>  <p>6229700M</p>
<p>10x8,9 gambo 2,9 of.</p>  <p>6346800M</p>	<p>9x6,2 gambo 1,95 of.</p>  <p>63619000</p>	<p>9x6,1 gambo 1,95 of.</p>  <p>63362000</p>	 <p>Esempi di applicazione</p>	
<p>9x5,4 gambo 1,95 of.</p>  <p>64233000</p>	<p>3,3x6 gambo 2x5 of.</p>  <p>64027000</p>	<p>9x6,5 gambo 2,5x5 of.</p>  <p>62648/M</p>		







Maschi in ferro/ottone/allum.

MINUTERIE

<p>2,40x7 t. 8 ot.</p>  <p>60042/7-1</p>	<p>maschio 9x7 2,45 ot.</p>  <p>64726M007</p>	<p>t. 6 gambo 1,5x6 <b>ecobrass</b></p>  <p>62286W0M</p>	<p>maschio 10x7x2,45 ot</p>  <p>2278/M-7</p>	<p>maschio 10x9x2,45 ot</p>  <p>2278/M-9</p>
<p>maschio 6x3,4 gambo 2,15x3 ot.</p>  <p>64312003</p>	<p>maschio 4x3,4 gambo 2,15x3 ot.</p>  <p>64338003</p>	<p>maschio 4x5,4 gambo 2,15x5 ot.</p>  <p>64338005</p>	<p>maschio 8x8 gambo 2,45x7 ot.</p>  <p>64497007</p>	<p>maschio 10x8 (per pomolo 62102) ot.</p>  <p>62647000</p>
<p>maschio 6X6,8 gambo 1,5X6 <b>ECOBRASS</b></p>  <p>65246W00</p>	<p>chiodo calottato 1,5X6 testa 9,5 fe.</p>  <p>11681/6</p>	<p>chiodo calottato 1,5X8 testa 9,5 fe.</p>  <p>11681/8</p>	<p>chiodo calottato 1,5X10 testa 9,5 fe.</p>  <p>11681/10</p>	<p>maschio 9x5 tc. ot</p>  <p>64726M00</p>
			 <p>Esempi di applicazione</p>	

# Olghi per fusioni in zama

**MINUTERIE**

<p>olgo 031 T.4,8 conc L.4,5</p>  <p>9763/4,5/TC</p>	<p>olgo 031 T.4,8 piatta</p>  <p>9763/4,5/TP</p>	
<p>olgo 032 T.5,7 conc L. 6</p>  <p>9355/6/TC</p>	<p>olgo 032 T.6,3conc L. 6,5</p>  <p>11486/6,5/TC</p>	
<p>olgo 033 T.7 conc. L.8</p>  <p>8856/8/TC</p>	<p>olgo 033 T.7 L.8</p>  <p>8856/8/TP</p>	