

Maschi in ferro/ottone/allum.

MINUTERIE

2,1x6 t. 6,5 ferro  60041000 g	2,45x5 t. 8 ferro  60042/5	2,45x7 t. 8 ferro  60042/7	2,45x10 t.8 ferro  60042/10	2,15x8 t. 6,5 ottone  62697000 g
3x5 t. 6 ottone  63051000 g	3x6,5 t. 6 ottone  63082000 g	2,2x7,5 t. 9 alluminio  63949750 g	2x7 t. 9 ottone  63292000 g	2,45x9 t. 9 ottone  63433009 g
3x7 t. 14 ottone  9796/M	2,1x3 t. 6x0,5 ot.  63628003 g	2,1x5 t. 6x0,5 ot.  63628005 g	1,95x5 t. 6x0,5 ot. minorato  63628MI5 g	9x9 gambo 3x6,5 ot.  63510065 g
2,45x6,5 T. 9 ot.  62662000 g	2,40x6 T. 7x1,3 TC ot.  64294000 g	2,45x6 T. 7x1,3 TC ot.  10899/m	2,2x7,5 T.9,5 ot  10793	2,45x10,5 T. 6 ot.  64465000 G
3x4,3 gam.1,2x3,2 ot.  64518000 g	4,5x3,3 gam. 1,5x3 ot.  64646003	4,5x4,3 gam. 1,5x4 fe  64646004	4,5x5,3 gam. 1,5x5 fe  64646005	6,5x5 gambo 2,1x4 FE.  64539004 g
maschio t. 3,5 gambo 1,2x3 c/cono fe.  64895F03 g	4x3,4 gambo 2,1x3 ot.  64576003 g	6,5x5 gambo 2,15x4 ot.  64572004 g	9x4,5 gambo 2,05x2,8 ot.  63294000	2,5x4 gambo 1,2x3,4 ot  6229700M
10x8,9 gambo 2,9 ot.  6346800M	9x6,2 gambo 1,95 ot.  63619000	9x6,1 gambo 1,95 ot.  63362000	 Esempi di applicazione	
9x5,4 gambo 1,95 ot.  64233000	3,3x6 gambo 2x5 ot.  64027000	9x6,5 gambo 2,5x5 ot.  62648/M		

MINUTERIE

http://www.deltaitalia.net --- e.mail : info@deltaitalia.net

Olghi per fusioni in zama

MINUTERIE

olgo 031 T.4,8 conc L.4,5  9763/4,5/TC	olgo 031 T.4,8 piatta  9763/4,5/TP	
olgo 032 T.5,7 conc L. 6  9355/6/TC	olgo 032 T.6,3conc L. 6,5  11486/6,5/TC	
olgo 033 T.7 conc. L.8  8856/8/TC	olgo 033 T.7 L.8  8856/8/TP	